

Contributions in honor of
Professor Theo C. M. Bakker
Testing, not guessing

Timo Thünken^{1*}, Ingolf P. Rick¹ & Joachim G. Frommen²

¹Institute of Evolutionary Biology and Ecology, University of Bonn, An der Immenburg 1,
53113 Bonn, Germany

²Department of Behavioural Ecology, University of Bern, Wohlenstrasse 50a, 3032
Hinterkappelen, Switzerland

*corresponding author: tthuenken@evolution.uni-bonn.de

In July 2017, Theo C. M. Bakker officially retired as a Professor in Animal Ecology at the University of Bonn, Germany. This occasion was celebrated with a Symposium hosted by Thomas Bartolomaeus, director of the Institute of Evolutionary Biology and Ecology, and organized by Timo Thünken and Ingolf Rick. At this event, former colleagues and students gave insights into their recent research. This special issue of *Evolutionary Ecology Research* is a companion to this symposium, including contributions of Theo's current and former group members as well as of colleagues from Bonn and abroad. The contributions to the symposium and to the special issue cover a broad variety of topics, including sexual selection (talk by Manfred Milinski), social evolution (talk by Joachim Frommen; Josi *et al.*, 2018), applied ecology and conservation (talks by Sarah Kraak and Dominique Mazzi; Hilgers *et al.*, 2018), host-parasite interactions (Thünken *et al.*, 2018), phenotypic plasticity (Meuthen *et al.*, 2018),

Schmoll *et al.*, 2018), population genetics (Müller *et al.*, 2018) and animal cognition and behavioral physiology (Mehlis-Rick *et al.*, 2018, Pannhausen *et al.*, 2018, Schluessel *et al.*, 2018). They, therefore, reflect Theo's broad scientific approach and his multifaceted interests in the field of animal ecology.

Indeed, already Theo's master thesis, which he conducted at the University of Groningen, The Netherlands, consisted of three different projects covering theoretical ecology, population genetics and behavioral genetics. Theo's first paper (van Oortmerssen and Bakker, 1981) emerged from the behavioral genetics part. Using selection lines, he demonstrated that aggressiveness in house mice (*Mus musculus*) has a heritable component. For his subsequent PhD studies, Theo moved to the University of Leiden, which was a hotspot in the emerging field of ethology at that time. In Leiden Theo was supervised by Piet Sevenster, a former assistant of Niko Tinbergen. Consequently, Theo was a second-generation student of Tinbergen, a fact he was always proud of (Bakker 2010) and which is conveyed in his strict and fine-tuned experimental approach when studying animal behavior. In Bakker (2010) Theo provides an overview of Tinbergen's research and his impact on the Dutch ethologists while looking back at the time in Leiden from a very personal point of view.

In Leiden Theo continued following his interest in the genetics of behavior, working on a study organism that would become his main model species throughout his subsequent career: the threespine stickleback (*Gasterosteus aculeatus*). This small fish shows pronounced sexual dichromatism with males being famous for their conspicuous nuptial coloration (i.e. red throat and blue eyes, see Fig.1), extended paternal brood care and a latent willingness to engage in aggressive interaction with their neighbors (Wootton, 1976). The threespine stickleback is easy to keep and breed in the lab, making this species a perfect model system for experimental research (Bakker and Sevenster, 1995). As in his mouse project, Theo established breeding lines, selecting for differences in aggressiveness (Bakker 1986). For his thesis, entitled "Aggressiveness in sticklebacks (*Gasterosteus aculeatus* L.): a behaviour-genetic study", he examined individual aggressiveness at different developmental stages and contexts and their intercorrelations. It was eventually published as a 144 (!) pages paper in the journal *Behaviour* (Bakker, 1986) and can be considered as pioneering work for recent animal personality research. It was highly fitting that in 1990 Theo won the Niko Tinbergen prize awarded by the German

Ethological Society for his PhD thesis.

After finishing his PhD studies, Theo remained as postdoctoral researcher in Sevenster's group for two more years, continuing his work on the genetical background of aggression in stickleback (Bakker and Sevenster 1989, Bakker et al. 1989). At that time, he regularly followed invitations from abroad for working visits, for example to the United Kingdom by Felicity Huntingford (University of Glasgow) and to Canada by Frederick Whoriskey (McGill University) and Gerard FitzGerald (Université Laval). One of these visits brought him into contact with Manfred Milinski, who offered him a position as *wissenschaftlicher Assistent* (comparable to an assistant professor) at the Ethological Station Hasli of the University of Bern, Switzerland. Theo and his family moved to Bern in 1988.

In Bern, Theo and Manfred Milinski were among the first who experimentally tested the theoretical explanations for the evolution of female mate preference (reviewed in Bakker, 1990). As predicted by Zahavi (1975) and Hamilton and Zuk (1982), they showed that the intensity of a stickleback male's red coloration reflects his physical condition and parasite load. Because females prefer more intensely red colored males they avoid parasitized males (Milinski and Bakker, 1990). This fundamental paper has been widely cited (almost 800 citations until 2018) and cemented the importance of threespine stickleback as model system in sexual selection research. Next, Theo demonstrated a genetic correlation between male ornament expression and female preference (Bakker, 1993), providing unique empirical evidence for Fisher's "runaway process" (Fisher, 1930). The following report of variation in female mate choice (Bakker *et al.*, 1999) represented a further breakthrough for the study of sexual selection, suggesting that not only the expression of male ornaments but also female preference is condition-dependent. These three studies were published in *Nature* and became textbook examples of sexual selection (e.g. Davies *et al.*, 2012). During that time, Theo further continued visiting labs abroad. One of those was a stay at Indiana University, USA with William "Bill" Rowland. This trip was not only scientifically stimulating (Bakker and Rowland, 1995, Bakker 2010), but also memorable because of musical evenings during which Theo played the triangle.

In 1994, Theo finished his *habilitation* treatise entitled "The evolution of male ornamentation through female choice in threespine sticklebacks, *Gasterosteus aculeatus* L.", which included the above-mentioned groundbreaking papers on sexual selection among others.

Accordingly, he received the *venia docendi* in zoology of the University of Bern, which came along with his promotion to the rank of an associate professor. Theo and his group, which consisted of several PhD students and postdocs, pursued working on sexual selection (e.g. Bakker and Mundwiler, 1994; Kraak and Bakker, 1998; Kraak et al. 1999, 2000; Künzler and Bakker, 2000; Mazzi *et al.*, 2002; Mazzi *et al.*, 2003). Inspired by the classical stickleback dummies that had been used since Tinbergen's earlier studies (Ter Pelwijk and Tinbergen, 1937; Rowland, 1982) Theo and his team got interested into developing highly standardized artificial stimuli for experiments in sexual selection. Here, they took advantage of the rapidly developing computer technology that allowed them to create computer-animated stickleback (Künzler and Bakker, 1998). They were therefore among the pioneers in using computer animations, a technique that is nowadays widely used in behavioral research (Baldauf et al 2008; Chouinard-Thuly *et al.*, 2017). These virtual stickleback males found various applications, e.g. in mate choice (e.g. Künzler and Bakker, 2001; Mazzi *et al.*, 2004) and sperm competition experiments (e.g. Zbinden *et al.*, 2003). Additionally, Theo started working on host-parasite relationships in Bern. He focused especially on acanthocephalan fish and bird parasites with complex life-cycles, changing the behavior and color of their intermediate host, i.e. gammarid amphipods (Bakker *et al.*, 1997; Mazzi *et al.*, 2003).

In 1999, Theo accepted a chair in Animal Ecology (succeeding Gerhard Kneitz) at the Institute for Evolutionary Biology and Ecology of the Rheinische-Friedrich-Wilhelms-University of Bonn in Germany headed by Klaus Peter Sauer at the time. In Bonn Theo further expanded his research interests, encouraging his students to work on a broad variety of topics in behavioral and evolutionary ecology. The aim of a first new project was to elucidate functions and mechanisms of kin discrimination in stickleback. It revealed that stickleback possess the ability to differentiate siblings from unrelated individuals and that they use this ability in all crucial behavioural decisions, including shoaling (e.g. Frommen and Bakker, 2004; Frommen *et al.*, 2007a,b), mate choice (Frommen and Bakker, 2006; Mehlis *et al.*, 2008) and brood care (Mehlis *et al.*, 2010). His interest in the effects of relatedness on mate choice eventually led Theo to integrate a new model species into his research. The biparental African cichlid fish *Pelvicachromis taeniatus* shows ornaments in both sexes and mutual mate choice (Thünken *et al.*, 2007a; Baldauf *et al.*, 2009). In contrast to most other animal species this fish does not avoid inbreeding, but represents a rare example of kin mating preference (Thünken *et al.*, 2007a;

Langen *et al.*, 2011; Thünken *et al.*, 2012). Examination of the underlying proximate kin recognition mechanism in this cichlid was a consequent research focus (Hesse *et al.*, 2012; Thünken *et al.*, 2014). Moreover, *P. taeniatus* proved to be an ideal model system to investigate the function of sexual ornaments in females (e.g. Baldauf *et al.*, 2010; Baldauf *et al.*, 2011) or the importance of the social environment on social and mating behavior (Hesse *et al.*, 2016), and to study causes and consequences of predator-induced phenotypic plasticity (e.g. Meuthen *et al.*, 2016; Meuthen *et al.*, 2018). The extraordinarily long sperm of *P. taeniatus* was another unexpected finding (Thünken *et al.*, 2007b; Langen *et al.*, 2017).

Besides these new research avenues, Theo and his team continued to investigate the importance of visual cues in stickleback behavior. They elucidated the role of ultraviolet-A (UVA) light in sexual signaling (Rick *et al.*, 2004; Rick *et al.*, 2006; Rick and Bakker 2008a,b,c, Hiermes *et al.* 2015a), shoaling behavior (Modarressie *et al.*, 2006; Hiermes *et al.*, 2015b; Modarressie *et al.*, 2015), visual foraging (Rick *et al.*, 2012) and predation risk (Modarressie *et al.*, 2013). Recent projects focused on the ecological costs of increased levels of ambient ultraviolet-B (UVB) radiation (Vitt *et al.*, 2017a,b). A related PhD project addressed the co-evolution between stickleback and their parasites in the lakes of The Outer Hebrides, Scotland (e.g. Rahn *et al.*, 2016a,b). Furthermore, the aforementioned study on a genetic covariation between female preference and male red coloration in stickleback (Bakker, 1993) was extended in Bonn by including the role of visual physiology (Rick *et al.*, 2011).

Because sexual selection does not stop after mating but continues at the gamete level (Parker, 1970) and because sneaking and multiple paternities are widespread in natural stickleback populations (Largiadèr *et al.*, 2001), it was perhaps logical that already in Bern Theo had begun to include sperm competition in his research agenda (e.g. Zbinden *et al.*, 2001; Zbinden *et al.*, 2004). This project was successfully extended in Bonn by studying the environmental and genetic contributions on variation in sperm and testes traits, for example food restriction and carotenoid supplementation (Mehlis *et al.*, 2015a), temperature (Mehlis and Bakker, 2014), and inbreeding (Mehlis *et al.*, 2012). Another aim was to investigate the mechanisms of post-copulatory intra- and intersexual selection in stickleback at the level of fertilization (e.g. Bakker *et al.*, 2006; Bakker *et al.*, 2014; Mehlis *et al.*, 2015a,b). Further research objectives were sex reversal (Bakker, 2016) and molecular-genetic approaches for sex determination (Bakker *et al.*, 2017) or paternity analyses (Langen *et al.*, 2013). Finally, Theo

continued his work on freshwater amphipods that serve as intermediate host for different acanthocephalan parasites (Bakker *et al.*, 2017). Especially the anti-predator behavior of *G. pulex* and their manipulation by parasites was examined in various projects (e.g. Baldauf *et al.*, 2007; Kullmann *et al.*, 2008; Thünken *et al.*, 2011).

During his career, Theo supervised 15 PhD students and more than 50 undergraduate- and graduate projects. Most of them were funded by the Swiss National Science Foundation (SNSF) and the German Research Foundation (DFG). Beside his passion for research, Theo was a popular teacher. In practical courses for undergraduate and graduate students on “Behavioral Ecology” Theo conveyed the importance of well-planned experimental approaches, including innovative methods as well as exciting experiments based on current research papers. These courses enabled students to get deep insights into scientific research already early in their careers. Theo further gave lectures and offered seminars covering a variety of subjects ranging from basics in ecology to special topics in behavioral ecology. Besides teaching Theo was always strongly involved in academic administration. For many years, he was the head of the examination committee of the international master program in Organismic Biology, Evolutionary Biology and Palaeobiology (OEP-Biology) that provides students with a fundamental understanding of evolutionary research, linking its various sub-disciplines. Theo was highly integrated within the international scientific community and joined the editorial boards of leading journals in his field, including *Behaviour*, *Behavioral Ecology*, *Behavioral Ecology and Sociobiology*, and the *Journal of Evolutionary Biology*. Since 2011 he serves together with James Traniello as Editor in Chief of *Behavioral Ecology and Sociobiology* (Bakker and Traniello, 2011). Together they positioned the journal strongly against plagiarism and intellectual theft (Traniello and Bakker, 2017) and advocated science as the central source of truth (Traniello and Bakker, 2017).

His team recognized Theo Bakker not only as an enthusiastic, highly motivating, creative and supportive researcher and teacher but also as a very cheerful person with a very distinctive sense of humor. We will never forget his lecture at *Weiberfastnacht* morning (that is the Thursday that the carnival in Bonn starts), when he suddenly disappeared behind his desk to reappear with a screaming green wig on his head, and nonchalantly continued giving the lecture. Moreover, the tradition of rowing freshly promoted PhD students over the institute’s pond in a way-too-small rubber boat will remain legendary. With his optimistic attitude, Theo always

encouraged students to write up their results or re-submit rejected manuscripts; he patiently corrected hundreds of manuscript drafts in his constructive manner. He was always a fair and generous group leader, encouraging his team members to follow their personal research interests and to develop their own profile. At the same time, his office door was always open to discuss scientific or personal topics. After his retirement, Theo has not thought about quitting science. Luckily, there are still many data to analyze and papers to write, true to the motto “testing, not guessing”.

Acknowledgements

The symposium celebrating Theo Bakker’s career as a Professor in Animal Ecology received generous financial support from the Institute of Evolutionary Biology and Ecology, University of Bonn. We are grateful to Mike Rosenzweig and his team for their support when preparing this *Festschrift*, and to the anonymous referees who invested their time in commenting on the various manuscripts.

References

- Bakker, T.C.M. 1986. Aggressiveness in sticklebacks (*Gasterosteus aculeatus* L.): a behaviour-genetic study. *Behaviour* **98**: 1-144.
- Bakker, T.C.M. 1990. Genetic variation in female mating preference. *Neth. J. Zool.* **40**: 617-642.
- Bakker, T.C.M. 1993. Positive genetic correlation between female preference and preferred male ornament in sticklebacks. *Nature* **363**: 255-257.
- Bakker, T.C.M. 2010. Retro- and perspective: Determinants of dominance. In: Tinbergen’s Legacy in Behaviour: Sixty Years of Landmark Stickleback Papers (F. A. von Hippel, ed.), pp. 117-132. Brill, Leiden.
- Bakker, T.C.M. 2016. No evidence of sex reversal by means of experimentally altered sex ratios in threespine stickleback. *Evol. Ecol. Res.* **17**: 291–300.
- Bakker, T.C.M., Mazzi, D. and Zala, S. 1997. Parasite-induced changes in behavior and color make *Gammarus pulex* more prone to fish predation. *Ecology* **78**: 1098-1104.
- Bakker, T.C.M., Feuth-de Bruijn, E. and Sevenster, P. 1989. Asymmetrical effects of prior

- winning and losing on dominance in sticklebacks. *Ethology* **82**: 224-229.
- Bakker, T.C.M., Frommen, J.G. and Thünken, T. 2017. Adaptive parasitic manipulation as exemplified by acanthocephalans. *Ethology* **123**: 779-784.
- Bakker, T.C.M., Giger, T., Frommen, J. G. and Largiadèr, C.R. 2017. Rapid molecular sexing of three-spined sticklebacks, *Gasterosteus aculeatus* L., based on large Y-chromosomal insertions. *J. Appl. Genet.* **58**: 401-407.
- Bakker, T. C. M., Hollmann M., Mehlis, M. & Zbinden, M. 2014. Functional variation of sperm morphology in sticklebacks. *Behav. Ecol. Sociobiol.* **68**: 617-627.
- Bakker, T.C.M., Künzler, R. and Mazzi, D. 1999. Condition-related mate choice in sticklebacks. *Nature* **401**:234.
- Bakker, T.C.M. and Mundwiler, B. 1994. Female mate choice and male red coloration in a natural stickleback population. *Behav. Ecol.* **5**: 74-80.
- Bakker, T.C.M. and Rowland, W.J. 1995. Male mating preference in sticklebacks: effects of repeated testing and own attractiveness. *Behaviour* **132**: 935-949.
- Bakker, T.C.M. and Sevenster, P. 1989. Changes in the sexual tendency accompanying selection for aggressiveness in the three-spined stickleback (*Gasterosteus aculeatus* L.). *J. Fish Biol.* **34**: 233-243.
- Bakker, T.C.M. and Sevenster, P. 1995. Sticklebacks as models for animal behaviour and evolution. Preface. *Behaviour* **132**: 907-913.
- Bakker, T.C.M. and Traniello, J.F.A. 2011. Editorial: new chief editors. *Behav. Ecol. Sociobiol.* **65**: 1236-1239.
- Bakker, T.C.M., Zbinden, M., Frommen, J.G., Weiss, A. and Largiadèr, C.R. 2006. Slow fertilization of stickleback eggs: the result of sexual conflict? *BMC Ecol.* **6**: 7
- Baldauf, S.A., Bakker, T.C.M., Herder, F., Kullmann, H. and Thünken, T. 2010. Male mate choice scales female ornament allometry in a cichlid fish. *BMC Evol. Biol.* **10**: 301.
- Baldauf, S.A., Bakker, T.C.M., Kullmann, H. and Thünken, T. 2011. Female nuptial coloration and its adaptive significance in a mutual mate choice system. *Behav. Ecol.* **22**: 478-485.
- Baldauf, S.A., Kullmann, H. and Bakker, T.C.M. 2008. Technical restrictions of computer-manipulated visual stimuli and display units for studying animal behaviour. *Ethology* **114**: 737-751.
- Baldauf, S.A., Kullmann, H., Schroth, S.H., Thünken, T., Bakker, T.C.M. 2009. You can't

- always get what you want: size assortative mating by mutual mate choice as a resolution of sexual conflict. *BMC Evol. Biol.* **9**: 129.
- Baldauf, S.A., Thünken, T., Frommen, J.G., Bakker, T.C.M., Heupel, O. and Kullmann, H. 2007. Infection with an acanthocephalan manipulates an amphipod's reaction to a fish predator's odours. *Int. J. Parasitol.* **37**: 61-65.
- Chouinard-Thuly L., Gierszewski S., Rosenthal G., Reader S., Rieucan G., Woo K.L., Gerlai R., Tedore C., Ingley S.J., Stowers J.R., Frommen J.G., Dolins F.L. & Witte K. 2017. Technical and conceptual considerations for using animated stimuli in studies of animal behavior. *Curr. Zool.* **63**: 5-19
- Davies, N.B., Krebs, J.R., and West, S.A. 2012. An introduction to behavioural ecology. Wiley-Blackwell, Oxford
- Fisher, R.A. 1930. The genetical theory of natural selection. Clarendon Press, Oxford
- Frommen, J.G. and Bakker, T.C.M. 2004. Adult three-spined sticklebacks prefer to shoal with familiar kin. *Behaviour* **141**: 1401-1409.
- Frommen, J.G. and Bakker, T.C.M. 2006. Inbreeding avoidance through non-random mating in sticklebacks. *Biol. Lett.* **2**: 232-235.
- Frommen, J.G., Luz, C. and Bakker, T.C.M. 2007a. Kin discrimination in sticklebacks is mediated by social learning rather than innate recognition. *Ethology* **113**: 276-282.
- Frommen, J.G., Mehlis, M., Brendler, C. and Bakker, T.C.M. 2007b. Shoaling decisions in three-spined sticklebacks (*Gasterosteus aculeatus*) - familiarity, kinship and inbreeding. *Behav. Ecol. Sociobiol.* **61**: 533-539.
- Hamilton, W.D. and Zuk, M. 1982. Heritable true fitness and bright birds: a role for parasites? *Science* **218**: 384-387.
- Hesse, S., Bakker, T.C.M., Baldauf, S.A. and Thünken, T. 2012. Kin recognition by phenotype matching is family- rather than self-referential in juvenile cichlid fish. *Anim. Behav.* **84**: 451-457.
- Hesse, S., Bakker, T.C.M., Baldauf, S.A. and Thünken, T. 2016. Impact of social environment on inter- and intrasexual selection in a cichlid fish with mutual mate choice. *Anim. Behav.* **111**: 85-92.
- Hiermes, M., Bakker, T.C.M., Mehlis, M. and Rick, I.P. 2015a. Context-dependent dynamic UV signaling in female three spine sticklebacks. *Sci. Rep.* **5**: 17474.

- Hiermes, M., Vitt, S., Rick, I.P. and Bakker, T.C.M. 2015b. Shoal choice and UV reflections in stickleback populations from different photic habitats. *Biol. J. Linn. Soc.* **116**: 761-772.
- Hilgers, L., Herder, F., Hadiaty, R.K. and Pfaender J. 2018. Alien Attack: trophic interactions of flowerhorn cichlids with endemics of ancient Lake Matano (Sulawesi, Indonesia) *Evol. Ecol. Res.*, in press
- Josi, D., Taborsky, M., Frommen, J.G. 2018. Habitat preferences depend on substrate quality in a cooperative breeder, *Evol. Ecol. Res.*, in press
- Kraak, S.B.M. and Bakker, T.C.M. 1998. Mutual mate choice in sticklebacks: attractive males choose big females, which lay big eggs. *Anim. Behav.* **56**: 859-866.
- Kraak, S.B.M., Bakker, T.C.M. and Mundwiler, B. 1999. Sexual selection in sticklebacks in the field: correlates of reproductive, mating and paternal success. *Behav. Ecol.* **10**: 696-706.
- Kraak, S.B.M., Bakker, T.C.M. and Hočevár, S. 2000. Stickleback males, especially large and red ones, prefer to build their nest concealed in macrophytes. *Behaviour* **137**: 907-919.
- Kullmann, H., Thünken, T., Baldauf, S.A., Bakker, T.C.M. and Frommen, J.G. 2008. Fish odour triggers conspecific attraction behaviour in an aquatic invertebrate. *Biol. Lett.* **4**: 458-460.
- Künzler, R. and Bakker, T.C.M. 1998. Computer animations as a tool in the study of mating preferences. *Behaviour* **135**: 1137-1159.
- Künzler, R. and Bakker, T.C.M. 2000. Pectoral fins and paternal quality in sticklebacks. *Proc. R. Soc. Lond. B* **267**: 999-1004.
- Künzler, R. and Bakker, T.C.M. 2001. Female preferences for single and combined traits in computer animated stickleback males. *Behav. Ecol.* **12**: 681-685.
- Langen, K., Bakker, T.C.M., Baldauf, S.A., Shrestha, J. and Thünken, T. 2017. Effects of ageing and inbreeding on reproductive traits in a cichlid fish I: the male perspective. *Biol. J. Linn. Soc.* **120**: 752-761.
- Langen, K., Schwarzer, J., Kullmann, H., Bakker, T.C.M. and Thünken, T. 2011. Microsatellite support for active inbreeding in a cichlid fish. *PLOS ONE* **6**: e24689.
- Langen, K., Thünken, T. and Bakker, T.C.M. 2013. No experimental evidence for sneaking behaviour in a West African cichlid with extremely long sperm. *Int. J. Evol. Biol.* **2013**: 714304.
- Largiadèr, C.R., Fries, V. and Bakker, T.C.M. 2001. Genetic analysis of sneaking and egg-thievery in a natural population of the three-spined stickleback (*Gasterosteus aculeatus*

- L.). *Heredity* **86**: 459-468.
- Mazzi, D. and Bakker, T.C.M. 2003. A predator's dilemma: prey choice and parasite susceptibility in three-spined sticklebacks. *Parasitology* **126**: 339-347.
- Mazzi, D., Künzler, R., and Bakker, T.C.M. 2003. Female preference for symmetry in computer-animated three-spined sticklebacks, *Gasterosteus aculeatus*. *Behav. Ecol. Sociobiol.* **54**: 156-161.
- Mazzi, D., Künzler, R., Largiadèr, C.R. and Bakker, T.C.M. 2004. Inbreeding affects female preference for symmetry in computer-animated sticklebacks. *Behav. Genet.* **34**: 417-424.
- Mazzi, D., Largiadèr, C.R. and Bakker, T.C.M. 2002. Inbreeding and developmental stability in three-spined sticklebacks (*Gasterosteus aculeatus* L.). *Heredity* **89**: 293-299.
- Mehlis, M., Frommen, J.G., Rahn, A.K. and Bakker, T.C.M. 2012. Inbreeding in three-spined sticklebacks (*Gasterosteus aculeatus* L.): effects on testis and sperm traits. *Biol. J. Linn. Soc.* **107**: 510-510.
- Mehlis, M. and Bakker, T.C.M. 2014. The influence of ambient water temperature on sperm performance and fertilization success in three-spined sticklebacks (*Gasterosteus aculeatus*). *Evol. Ecol.* **28**: 655-667.
- Mehlis, M., Bakker, T.C.M. and Frommen, J.G. 2008. Smells like sib spirit: kin recognition in three-spined sticklebacks (*Gasterosteus aculeatus*) is mediated by olfactory cues. *Anim. Cogn.* **11**: 643-650.
- Mehlis, M., Bakker, T.C.M., Engqvist, L. and Frommen, J.G. 2010. To eat or not to eat: egg-based assessment of paternity triggers fine-tuned decisions about filial cannibalism. *Proc. R. Soc. Lond. B* **277**: 2627-2635.
- Mehlis, M., Rick, I.P. and Bakker, T.C.M. 2015a. Dynamic resource allocation between pre- and postcopulatory episodes of sexual selection determines competitive fertilization success. *Proc. R. Soc. Lond. B*: 20151279.
- Mehlis, M., Rahn, A. and Bakker, T.C.M. 2015b. Sperm quality but not relatedness predicts sperm competition success in threespine sticklebacks (*Gasterosteus aculeatus*). *BMC Evol. Biol.* **15**: 74.
- Mehlis-Rick, M., Thünken, T., Krings, M., Käfer, S. and Rick, I.P. 2018. Cerebral lateralization and quantity discrimination abilities in the threespine stickleback (*Gasterosteus aculeatus*) *Evol. Ecol. Res.*, in press

- Meuthen, D., Baldauf, S.A., Bakker, T.C.M. and Thünken, T. 2016. Predator-induced neophobia in juvenile cichlids. *Oecologia* **181**: 947-958.
- Meuthen, D., Baldauf, S.A., Bakker, T.C.M. and Thünken, T. 2018 Neglected patterns of variation in phenotypic plasticity: Age- and sex-specific antipredator plasticity in a cichlid fish. *Am. Nat.* **191**: 475-590.
- Meuthen, D., Flege, P., Brandt, R. and Thünken, T. 2018. Location of damage-released alarm cues in a cichlid fish. *Evol. Ecol. Res.*, in press
- Milinski, M. and Bakker, T.C.M. 1990. Female sticklebacks use male coloration in mate choice and hence avoid parasitized males. *Nature* **344**: 330-333.
- Modarressie, R., Günther, C. and Bakker, T.C.M. 2015. UV deprivation influences social UV preference in juvenile sticklebacks. *Anim. Behav. Cogn.* **2**: 186-199.
- Modarressie, R., Rick, I.P. and Bakker, T.C.M. 2006. UV matters in shoaling decisions. *Proc. R. Soc. Lond. B* **273**: 849-854.
- Modarressie, R., Rick, I.P. and Bakker, T.C.M. 2013. Ultraviolet reflection enhances the risk of predation in a vertebrate. *Curr. Zool.* **59**: 151-159.
- Müller, B., Keuling, O., Glensk, C. 2018. Mother's baby, father's maybe: occurrence and frequency of multiple paternities in the European wild boar. *Evol. Ecol. Res.*, in press
- Pannhausen, S.S., Worm, M., Herzog, H. Kirschbaum, F. and von der Emde, G. 2018. Group behavior of a nocturnal weakly electric mormyrid fish: Investigations using an electro-communicating dummy fish. *Evol. Ecol. Res.*, in press
- Parker, G.A. 1970. Sperm competition and its evolutionary consequences in the insects. *Biol. Rev.*, **45**, 525-567.
- Rahn, A.K., Eßer, E., Reher, S., Ihlow, F., MacColl, A.D.C. and Bakker, T.C.M. 2016. Distribution of common stickleback parasites on North Uist, Scotland, in relation to ecology and host traits. *Zoology* **119**: 395-402.
- Rahn, A.K., Krassmann, J., Tsobanidis, K., MacColl, A.D.C. and Bakker, T.C.M. 2016. Strong neutral genetic differentiation in a host, but not in its parasite. *Infect. Genet. Evol.* **44**: 261-271.
- Rick, I.P. and Bakker, T.C.M. 2008a. Color signaling in conspicuous red sticklebacks: do ultraviolet signals surpass others? *BMC Evol. Biol.* **8**: 189.
- Rick, I.P. and Bakker, T.C.M. 2008b. Males do not see only red: UV wavelengths and male

- territorial aggression in the three-spined stickleback (*Gasterosteus aculeatus*). *Naturwissenschaften* **95**: 631-638.
- Rick, I.P. and Bakker, T.C.M. 2008c. UV wavelengths make female three-spined sticklebacks (*Gasterosteus aculeatus*) more attractive for males. *Behav. Ecol. Sociobiol.* **62**: 439-445.
- Rick, I.P., Bloemker, D. and Bakker, T.C.M. 2012. Spectral composition and visual foraging in the threespine stickleback (Gasterosteidae: *Gasterosteus aculeatus* L.): elucidating the role of ultraviolet wavelengths. *Biol. J. Linn. Soc.* **105**: 359-368.
- Rick, I.P., Mehlis, M. and Bakker, T.C.M. 2011. Male red ornamentation is associated with female red sensitivity in sticklebacks. *PLOS ONE* **6**: e25554.
- Rick, I.P., Modarressie, R. and Bakker, T.C.M. 2006. UV wavelengths affect female mate choice in three-spined sticklebacks. *Anim. Behav.* **71**: 307-313.
- Rick, I.P., Modarressie, R. and Bakker, T.C.M. 2004. Male three-spined sticklebacks reflect in ultraviolet light. *Behaviour* **141**: 1531-1541.
- Rowland, W.J. 1982. The effects of male nuptial coloration on stickleback aggression: a reexamination. *Behaviour* **80**: 118-126.
- Schluessel, V and Ober, C. 2018. How to get out of a maze? Stingrays (*Potamotrygon motoro*) use directional information over landmark information when provided with both in a spatial task. *Evol. Ecol. Res.*, in press
- Schmoll, T., Kleven, O., Rusche, M. 2018. Individual phenotypic plasticity explains seasonal variation in sperm morphology in a passerine bird. *Evol. Ecol. Res.*, in press
- Ter Pelkwijk, J.J., and Tinbergen, N. 1937. Eine reizbiologische Analyse einiger Verhaltensweisen von *Gasterosteus aculeatus* L. *Z. Tierpsychol.*, **1**, 193-200.
- Thünken, T., Bakker, T.C.M., Baldauf, S.A. and Kullmann, H. 2007a. Active inbreeding in a cichlid fish and its adaptive significance. *Curr. Biol.* **17**: 225-229.
- Thünken, T., Bakker, T. C.M. and Baldauf, S.A. 2014. "Armpit effect" in an African cichlid fish: self-referent kin recognition in mating decisions of male *Pelvicachromis taeniatus*. *Behav. Ecol. Sociobiol.* **68**: 99-104.
- Thünken, T., Bakker, T.C.M. and Kullmann, H. 2007b. Extraordinarily long sperm in the socially monogamous cichlid fish *Pelvicachromis taeniatus*. *Naturwissenschaften* **94**: 489-491.
- Thünken, T., Baldauf, S.A., Bersau, N., Bakker, T.C.M., Kullmann, H. and Frommen, J.G. 2010.

- Impact of olfactory non-host predator cues on aggregation behaviour and activity in *Polymorphus minutus* infected *Gammarus pulex*. *Hydrobiologia* **654**: 137-145.
- Thünken, T., Meuthen, D., Bakker, T.C.M. and Baldauf, S.A. 2012. Sex-specific trade-off between mating preferences for genetic compatibility and body size in a cichlid fish with mutual mate choice. *Proc. R. Soc. Lond. B* **279**: 2959-2964.
- Thünken, T., Vitt, S., Baldauf S.A., Jung, T. and Frommen, J.G. 2018. Individual behavioral responses of an intermediate host to a manipulative acanthocephalan parasite and effects of intra-specific parasitic competition. *Evol. Ecol. Res.*, in press
- Traniello, J.F.A. and Bakker, T.C.M. 2016. Editorial: Intellectual theft: pitfalls and consequences of plagiarism. *Behav. Ecol. Sociobiol.* **70**: 1789-1791.
- Traniello, J.F.A. and Bakker, T.C.M. 2017. Behavioral ecology and sociobiology in post-truth society. *Behav. Ecol. Sociobiol.* **71**: 76.
- van Oortmerssen, G.A. and Bakker, T.C.M. 1981. Artificial selection for short and long attack latencies in wild *Mus musculus domesticus*. *Behav. Genet.* **11**: 115-126.
- Vitt, S., Rahn, A.K., Drolshagen, L., Bakker, T.C.M., Scharsack, J.P. and Rick, I.P. 2017a. Enhanced ambient UVB light affects growth, body condition and the investment in innate and adaptive immunity in three-spined sticklebacks (*Gasterosteus aculeatus*). *Aquat. Ecol.* **51**: 499-509.
- Vitt, S., Zierul, J.E., Bakker, T.C.M. and Rick, I.P. 2017b. Long-term UVB-exposure promotes predator-inspection behaviour in a fish. *Biol. Lett.* **13**: 20170497.
- Wootton, R.J. 1976. Biology of the sticklebacks. Academic Press, London
- Zahavi, A. 1975. Mate selection—a selection for a handicap. *J. Theor. Biol.* **53**: 205-214.
- Zbinden, M., Largiadèr, C.R. and Bakker, T.C.M. 2001. Sperm allocation in the three-spined stickleback. *J. Fish Biol.* **59**: 1287-1297.
- Zbinden, M., Largiadèr, C.R. and Bakker, T.C.M. 2004. Body size of virtual rivals affects ejaculate size in sticklebacks. *Behav. Ecol.* **15**: 137-140.
- Zbinden, M., Mazzi, D., Künzler, R., Largiadèr, C.R. and Bakker, T.C.M. 2003. Courting virtual rivals increase ejaculate size in sticklebacks (*Gasterosteus aculeatus*). *Behav. Ecol. Sociobiol.* **54**: 205-209.

FIGURE



Fig. 1 – Picture of a courting male threespine stickleback at his nest. Males develop the bright red throat and blue eye coloration only during the mating season, making them highly attractive for receptive females. Photo by Joachim Frommen & Fabian Herder.